L Number	Hits	Search Text	DB	Time stamp
-	17259	unique adj (identifier id)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 09:25
-	3555	unique adj (identifier id) and (verif$4 validat$4 ensur$4) with (id identif$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 09:26
-	3555	(unique "one of a kind") adj (identifier id) and (verif$4 validat$4 ensur$4) with (id identif$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 09:26
-	817	unique adj (identifier id) and (verif$4 validat$4 ensur$4) with (id identif$4) with unique	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 09:27
-	817	unique adj (identifier id) and (verif$4 validat$4 ensur$4) with (id identif$4) with (unique "one of a kind")	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 09:27
-	700	unique adj (identifier id) and (verif$4 validat$4 ensur$4) with (id identif$4) with unique and network	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 09:27
-	36	unique adj (identifier id) and (verif$4 validat$4 ensur$4) with (id identif$4) with unique and network and ad$hoc	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 09:28
-	4	unique adj (identifier id) and (verif$4 validat$4 ensur$4) with (id identif$4) with unique and network with ad$hoc	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 09:39
-	4	unique adj (identifier id) and (verif$4 validat$4 ensur$4) with (id identif$4) with unique and network with ad$hoc and (id identifier) with request	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 09:40
-	3	unique adj (identifier id) and (verif$4 validat$4 ensur$4) with (id identif$4) with unique and network with ad$hoc and (id identifier) with request and (time with period)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 14:02
-	3	unique adj (identifier id) and (verif$4 validat$4 ensur$4) with (id identif$4)· with unique and network with ad$hoc and (id identifier) with request and (time with period) and expir$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 09:41
-	3	unique adj (identifier id) and (verif$4 validat$4 ensur$4) with (id identif$4) with unique and network with ad$hoc and (id identifier) with request and (time with period) and expir$6	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 09:45
-	3	unique adj (identifier id) and (verif$4 validat$4 ensur$4) with (id identif$4) with unique and network with ad$hoc and (id identifier) with request and (time with period) and expir$6 and (defin$4 determine$4) with time	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 09:45
-	3	unique adj (identifier id) and (verif$4 validat$4 ensur$4) with (id identif$4) with unique and network with ad$hoc and (id identifier) with request and (time with period) and expir$6 and (defin$4 determine$4) with (period time)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 09:46
-	3	unique adj (identifier id) and (verif$4 validat$4 ensur$4) with (id identif$4) with unique and network with ad$hoc and (id identifier) with request and (time with period) and expir$6 and (defin$4 specif$4 determine$4) with (period time)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 10:00

-		2	unique adj (identifier id) and (verif$4 validat$4 ensur$4) with (id identif$4) with unique and network with ad$hoc and (id identifier) with request and (time with period) and expir$6 and (defin$4 specif$4 determine$4) with (period time) and network with multi$link	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 10:01
-		2	unique adj (identifier id) and (verif$4 validat$4 ensur$4) with (id identif$4) with unique and network with ad$hoc and (id identifier) with request and (time with period) and expir$6 and (defin$4 specif$4 determine$4) with (period time) and network with plurality	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 10:07
-		817	unique adj (identifier id) and (verif$4 validat$4 ensur$4) with (id identif$4) with unique	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 10:07
-		57	unique adj (identifier id) and (verif$4 validat$4 ensur$4) with (id identif$4) with unique and (time with period) and expir$6 and (defin$4 specif$4 determine$4) with (period time) and network with plurality	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 10:08
-		18	unique adj (identifier id) and (verif$4 validat$4 ensur$4) with (id identif$4) with unique and (time with period) and expir$6 and (defin$4 specif$4 determine$4) with (period time) and network with plurality and message with (invalid$4 unvaild$4 "not valid")	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 10:23
-		0	unique adj (identifier id) and (verif$4 validat$4 ensur$4) with (id identif$4) with unique and (time with period) and expir$6 and (defin$4 specif$4 determine$4) with (period time) with message with (invalid$4 unvaild$4 "not valid")	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 10:24
-		1	unique adj (identifier id) and (verif$4 validat$4 ensur$4) with (id identif$4) with unique and (time with period) with (period time) with message with (invalid$4 unvaild$4 "not valid")	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 10:26
-		2	unique adj (identifier id) and (verif$4 validat$4 ensur$4) with (id identif$4) with unique and (time period) with expir$4 with message with (invalid$4 unvaild$4 "not valid")	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 10:30
-		3	unique adj (identifier id) and (time period) with expir$4 with message with (invalid$4 unvaild$4 "not valid")	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 10:32
-		3	unique adj (identifier id) and (time period) with expir$4 and (validat$4 verif$4) with message with (invalid$4 unvaild$4 "not valid")	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 10:35
-		40	unique adj (identifier id) and (time period) and (validat$4 verif$4) with message with (invalid$4 unvaild$4 "not valid")	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 10:35
-		5016	unique adj (identifier id) and (time period) and (validat$4 verif$4) with unique message with (invalid$4 unvaild$4 "not valid")	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 10:36
-		1	unique adj (identifier id) and (time period) and (validat$4 verif$4) with unique with message with (invalid$4 unvaild$4 "not valid")	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 10:38

-	1	(validat$4 verif$4) with unique with (id identifier) with message with (invalid$4 unvaild$4 "not valid")	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 10:39
-	0	(validat$4 verif$4) with unique adj (id identifier) with message with (invalid$4 unvaild$4 "not valid")	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 10:40
-	0	(validat$4 ensur$4 confirm$4 verif$4) with unique adj (id identifier) with message with (invalid$4 unvaild$4 "not valid")	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 10:44
-	24453	unique adj (id identifier identification)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 10:46
-	1332	unique adj (id identifier identification) and (message indicat$4) with (invalid "not valid")	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 10:47
-	7	unique adj (id identifier identification) and (valid$4 verif$4 confirm$4) with unique with(message indicat$4) with (invalid "not valid")	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 10:48
-	7·	unique adj (id identifier identification) and (valid$4 verif$4 confirm$4) with unique with (message indicat$4) with (invalid "not valid")	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 10:48
-	7	unique adj (id identifier identification) and (valid$4 verif$4 confirm$4) with uniqu$5 with (message indicat$4) with (invalid "not valid")	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 10:51
-	6	unique adj (id identifier identification) and (valid$4 verif$4 confirm$4) with uniqu$5 with (message indicat$4) with (invalid "not valid") and (time period expir$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 10:54
-	1	unique adj (id identifier identification) and (valid$4 verif$4 confirm$4) with uniqu$5 with (id identifier identification) with (message indicat$4) with (invalid "not valid") with (time period expir$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 10:56
-	20	unique adj (id identifier identification) and (valid$4 verif$4 confirm$4) with (message indicat$4) with (invalid "not valid" or "not unique") with (time period expir$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 11:00
-	20	unique adj (id identifier identification) and (valid$4 verif$4 confirm$4) with (message indicat$4) with (invalid "not valid" or "not unique") with (time period expir$4) not motorola.as.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 11:04
-	5	unique adj (id identifier identification) and (valid$4 verif$4 confirm$4) with (message indicat$4) with (invalid "not valid" or "not unique") with (id identifier identification) with (time period expir$4) not motorola.as.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 11:04
-	24453	unique adj (id identifier identification)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 12:39
-	6194	unique adj (id identifier identification) and message with ("in used" used invalid)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 12:39
-	43	unique adj (id identifier identification) and message with ("in used" used invalid) with time adj period	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 12:40

C:\APPS\EAST\Workspaces\A58 - White.wsp

-	0	unique adj (id identifier identification) and message with ("in used" used invalid) with time adj period with expir$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 12:40
-	0	unique adj (id identifier identification) and message with ("in use" used invalid) with time adj period with expir$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 12:40
-	162577	unique adj (id identifier identification) and message with ("in use" used invalid) with time adj period with validat$4 verif$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 12:40
-	0	unique adj (id identifier identification) and message with ("in use" used invalid) with time adj period with (validat$4 verif$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 12:41
-	35	unique adj (id identifier identification) and message with ("in use" used invalid) with time adj period and (validat$4 verif$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 12:41
-	35	unique adj (id identifier identification) and message with ("in use" used invalid) with time adj period and (validat$4 verif$4) withunique	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 12:41
-	11	unique adj (id identifier identification) and message with ("in use" used invalid) with time adj period and (validat$4 verif$4) with unique	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 12:42
-	0	unique adj (id identifier identification) and message with ("in use" "being used" invalid) with time adj period and (validat$4 verif$4) with unique	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 12:42
-	958	(validat$4 verif$4) with unique with (id identifier identification)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 13:24
-	0	(validat$4 verif$4) with unique with (id identifier identification) and mwssage with time adj period	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 13:25
-	32	(validat$4 verif$4) with unique with (id identifier identification) and message with time adj period	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 13:25
-	19	(validat$4 verif$4) with unique with (id identifier identification) and (inform$4 message) with time adj period and expir$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 13:26
-	8	(validat$4 verif$4) with unique with (id identifier identification) and (inform$4 message) with time adj period with expir$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 13:26
-	1	unique adj (identifier identification id) and (verif$4 validat$4 ensur$4) adj (id identification identif$4) with unique and network with ad$hoc and (id identifier) with request and (time with period) and plural$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 13:42
-	2	unique adj (identifier identification id) and (verif$4 validat$4 ensur$4) near3 (id identification identif$4) with unique and network with ad$hoc and (id identification identifier) with request and (time with period) and plural$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 13:48
-	4	("5117351" "5304992" "5388213" "5522077").pn.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 13:48

-	4	("5117351" "5304992" "5388213" "5522077").pn. and unique adj (id identifier identification)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 13:49
-	2	("5117351" "5304992" "5388213" "5522077").pn. and unique adj (id identifier identification) and (verif$4 validat$4) with unique	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 13:49
-	3	("5117351" "5304992" "5388213" "5522077").pn. and unique adj (id identifier identification) and (verif$4 validat$4 ensur$4) with unique	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 14:08
-	2	unique adj (identifier id) and (verif$4 validat$4 ensur$4) with (id identif$4) with unique and network with ad$hoc and (id identifier) with request and (time with period) and obtain$4 adj identif$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 14:02
-	3	unique adj (identifier id) and (verif$4 validat$4 ensur$4) with (id identif$4) with unique and network with ad$hoc and (id identifier) with request and (time with period) and obtain$4 with identif$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 14:04
-	7420	(verif$4 validat$4) near3 (id identif$6)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 14:04
-	79	(verif$4 validat$4) near3 unique adj (id identif$6)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 14:05
-	3	("5117351" "5304992" "5388213" "5522077").pn. and unique adj (id identifier identification) and (verif$4 validat$4 ensur$4) with unique and network	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 14:08
-	0	("5117351" "5304992" "5388213" "5522077").pn. and unique adj (id identifier identification) and (verif$4 validat$4 ensur$4) with unique and network and ad$oc	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 14:08
-	0	("5117351" "5304992" "5388213" "5522077").pn. and unique adj (id identifier identification) and (verif$4 validat$4 ensur$4) with unique and network and ad$hoc	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 14:08
-	1	(verif$4 validat$4) near3 unique adj (id identifi$6) and (obtain$4 retriev$4) adj (id identifi$6) and network and ad$hoc	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 14:09
-	10	(verif$4 validat$4) near3 unique adj (id identifi$6) and (obtain$4 retriev$4) adj (id identifi$6) and network	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 14:10
-	14	(verif$4 validat$4) near3 unique adj (id identifi$6) and (obtain$4 retriev$4) adj (id identifi$6)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 14:39
-	10	(verif$4 validat$4) near3 unique adj (id identifi$6) and (obtain$4 retriev$4) adj (id identifi$6) and network	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 14:44
-	4	(verif$4 validat$4) near3 unique adj (id identifi$6) and (obtain$4 retriev$4) adj (id identifi$6) and network with request$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 14:40
-	7	(verif$4 validat$4) near3 unique adj (id identifi$6) and (obtain$4 retriev$4) adj (id identifi$6) and request with (id identifi$6)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 14:46

-		7	(verif$4 validat$4) near3 unique adj (id identifi$6) and (obtain$4 retriev$4) adj (id identifi$6) and request with (id identifi$6) and unique adj (id identifi$6)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 14:56
-		1	(verif$4 validat$4) near3 unique adj (id identifi$6) and (obtain$4 retriev$4) adj (id identifi$6) and request with (id identifi$6) and unique adj (id identifi$6) and network with ad$hoc	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 14:57
-		5	(verif$4 validat$4) near3 unique adj (id identifi$6) and (obtain$4 retriev$4) adj (id identifi$6) and request with (id identifi$6) and unique adj (id identifi$6) and network with link	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/18 08:10
-		1	(verif$4 validat$4) near3 unique adj (id identifi$6) and (obtain$4 retriev$4) adj (id identifi$6) and request with (id identifi$6) and unique adj (id identifi$6) and network with multi$4 adj link	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 14:59
-		1	(verif$4 validat$4) near3 unique adj (id identifi$6) and (obtain$4 retriev$4) adj (id identifi$6) and request with (id identifi$6) and unique adj (id identifi$6) and network with (multi$4 plural$4) adj link	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 14:59
-		9	(verif$4 validat$4) with unique adj (id identifi$6) and (obtain$4 retriev$4) adj (id identifi$6) and request with (id identifi$6) and unique adj (id identifi$6) and network with link	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/18 08:11
-		1	5925127.pn.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/18 08:30
-		0	5925127.pn. and validat$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/18 08:30
-		1	5925127.pn. and unique	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/18 08:30
-		0	5925127.pn. and unique adj id	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/18 08:31
-		1	5925127.pn. and unique adj identifier	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/18 08:31
-		0	5925127.pn. and unique adj identifier and validat$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/18 08:31
-		1	5925127.pn. and unique adj identifier and verif$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/18 08:31
-		1	5925127.pn. and unique adj identifier and verif$4 and invalid$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/18 08:55
-		1	5925127.pn. and unique adj identifier and verif$4 and invalid$4 and unique adj identification	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/18 08:56

C:\APPS\EAST\Workspaces\A58 - White.wsp

-		0	5925127.pn. and unique adj identifier and verif$4 and invalid$4 and unique adj identification and verif$4 with identificaiton	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/18 08:56
-		1	5925127.pn. and unique adj identifier and verif$4 and invalid$4 and unique adj identification and verif$4 with unique	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/18 08:56
-		0	5925127.pn. and unique adj identifier and verif$4 and invalid$4 and unique adj identification and verif$4 with unique and validat$4 with unique	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/18 08:56
-		0	5925127.pn. and unique adj identifier and verif$4 and invalid$4 and unique adj identification and verif$4 with unique and validat$4 with identificaiton	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/18 08:56
-		0	5925127.pn. and unique adj identifier and verif$4 and invalid$4 and unique adj identification and verif$4 with unique and validat$4 with id	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/18 08:56
-		0	5925127.pn. and unique adj identifier and verif$4 and invalid$4 and unique adj identification and verif$4 with unique and validat$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/18 08:57
-		1	5925127.pn. and unique adj identifier and invalid$4 and unique adj identification and verif$4 with unique and valid$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/18 08:57
-		0	claim adj request$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/18 09:19